

Product Highlights

Wireless AC and Gigabit Ethernet

Stream HD video or make Internet voice calls across your home, using the fastest wired and wireless connectivity options available today

Dual-band Wi-Fi for Seamless Performance

Access your network via two concurrent wireless bands for seamless performance no matter what you are doing

Simple, Secure Setup

Set up the DIR-1253 in no time with the web-based setup wizard, and create a secure wireless connection easily using Wi-Fi Protected Setup (WPS)



DIR-1253

AC1200 MU-MIMO Wi-Fi Gigabit Router

Features

High-Speed Connectivity

- 802.11ac wireless specification delivers blazing fast wireless connectivity with increased range and reliability
- 10/100/1000 Gigabit Ethernet WAN port for speedy Internet access
- Four 10/100/1000 Gigabit Ethernet LAN ports give you high-speed wired connectivity

Flexible Bandwidth

- Concurrent dual-band wireless for connections up to 1200 Mbps¹
- Supports MU-MIMO (AC Wave II)
- Supports Bandwidth Control

Setup and Management

- Web browser-based setup and configuration
- Simple & Easy quick setup interface to guide you through the configuration process
- Firewall and access control options to prevent attacks and restrict access to your network

The DIR-1253 AC1200 MU-MIMO Wi-Fi Gigabit Router is a powerful wireless networking solution designed for Small Office/Home Office (SOHO) environments. By combining high-speed 802.11ac Wi-Fi specification with dual-band technology and Gigabit Ethernet ports, the DIR-1253 provides a seamless networking experience with a high degree of convenience and flexibility for SOHOs. The DIR-1253's SOHO-class advanced security features keep data safe from unwanted network intruders. This together with the increased range and reliability of Wireless AC technology, helps provide a safe and secure network for devices further into your home or office.

High-Speed Wired and Wireless Connectivity


The DIR-1253 AC1200 MU-MIMO Wi-Fi Gigabit Router upgrades your network to the latest high-speed wireless technology to bring you lightning-fast Wi-Fi speeds of up to 1200 Mbps¹ so you can meet the ever-greater demand from multimedia applications. Enjoy streaming media, Internet phone calls, online gaming, and content-rich web surfing throughout your home or office. In addition, 10/100/1000 Gigabit Ethernet ports give you solid, dependable wired performance for devices such as NAS, media centers, and gaming consoles.

Dual Band Wireless for Seamless Performance

The DIR-1253 AC1200 MU-MIMO Wi-Fi Gigabit Router features dual-band wireless, allowing you to operate two concurrent, high-speed Wi-Fi bands for ultimate wireless performance. Surf the web or make important Internet phone calls on the 2.4 GHz band, while simultaneously streaming digital media on the 5 GHz band. What's more, each band can operate as a separate Wi-Fi network, giving you the ability to customize your network according to your connectivity needs. You can even configure a guest zone to give visitors Internet access without compromising the security of your SOHO network.

Easy to Set Up, Easy to Secure

Sharing your Internet connection doesn't have to be a complicated process - just open a web browser to access the setup wizard and follow the easy quick setup to get started. Implement WPA/WPA2 wireless security in minutes with the wireless network setup wizard, or use Wi-Fi Protected Setup (WPS), which establishes a secure connection to new devices without the need to enter settings or create passwords. In addition, the built-in firewall requires no setup, protecting you against malicious attacks from the Internet, and access control features allow you to restrict access to your network giving you greater control over network users.



Technical Specifications

General

Device Interfaces	<ul style="list-style-type: none"> • IEEE 802.11 ac/n/g/b/a wireless LAN • 10/100/1000 Gigabit Ethernet WAN port 	<ul style="list-style-type: none"> • Four 10/100/1000 Gigabit Ethernet LAN ports
LEDs	<ul style="list-style-type: none"> • Power • Internet • 2.4GHz • 5GHz 	<ul style="list-style-type: none"> • LAN (x4) • WAN
Antenna Type	<ul style="list-style-type: none"> • Four external High Gain 5dBi antennas 	<ul style="list-style-type: none"> • Supports Beamforming
Operating Frequency	<ul style="list-style-type: none"> • 2.4 GHz band: 2400 - 2483.5 MHz 	<ul style="list-style-type: none"> • 5 GHz band: 5150 - 5725 MHz
Standards	<ul style="list-style-type: none"> • IEEE 802.11ac • IEEE 802.11n • IEEE 802.11g • IEEE 802.3ab 	<ul style="list-style-type: none"> • IEEE 802.11b • IEEE 802.11a • IEEE 802.3u
Minimum Requirements	<ul style="list-style-type: none"> • Windows 8/7/Vista or MAC OS X 10.6 or higher • Internet Explorer 9, Firefox 20.0, Chrome 25.0, Safari 5.1, or other Java-enabled browser 	<ul style="list-style-type: none"> • Network interface card • Cable/DSL modem or other Internet Service Provider equipment with Ethernet port

Functionality

Security	<ul style="list-style-type: none"> • WPA & WPA2 (Wi-Fi Protected Access) 	<ul style="list-style-type: none"> • WPS (Wi-Fi Protected Setup)
Advanced Features	<ul style="list-style-type: none"> • Web quick setup • DMZ (Demilitarized Zone) • WAN VLAN • UPNP • Bandwidth Control 	<ul style="list-style-type: none"> • Firewall - Network Address Translation (NAT) • Multiple SSID • IPv6 ready • Static Route

Physical

Dimensions	<ul style="list-style-type: none"> • 270 x 139 x 29 mm
Weight	<ul style="list-style-type: none"> • 288 g
Power Adaptor	<ul style="list-style-type: none"> • Input: 100 to 240 V AC, 50/60 Hz • Output: 12 V, 1 A
Temperature	<ul style="list-style-type: none"> • Operating: 0 to 40 °C (32 to 104 °F) • Storage: -20 to 65 °C (-4 to 149 °F)
Humidity	<ul style="list-style-type: none"> • Operating: 10% to 90% non-condensing • Storage: 5% to 95% non-condensing
Certifications	<ul style="list-style-type: none"> • CE • FCC

DIR-1253 AC1200 MU-MIMO Wi-Fi Gigabit Router

Order Information	
Part Number	Description
DIR-1253	AC1200 MU-MIMO Wi-Fi Gigabit Router

*Maximum wireless signal rate derived from IEEE Standard 802.11ac and IEEE 802.11n specifications. Actual data throughput will vary. Network conditions and environmental factors, including volume of network traffic, building materials and construction, and network overhead, lower actual data throughput rate. Environmental factors will adversely affect wireless signal range. Wireless range and speed rates are D-Link relative performance measurements based on the wireless range and speed rates of a standard Wireless G product from D-Link. Maximum throughput based on D-Link 802.11n devices.

Updated 09/09/2019